

**TOWN OF PLYMOUTH CAPITAL IMPROVEMENT PLAN REQUEST
FY27 SPRING ANNUAL TOWN MEETING**

Department: Town Clerk	Priority #:	
Project Title and Description: Shelving in Town Clerk Vault	Total Project Cost:	\$30,500

Department/Division Head: **Kelly McElreath**

Check if project is: New Resubmitted Cost estimate was developed: Internally Externally

For project re-submittals, list prior year(s):

List any funding sources and amounts already granted:

Basis of Estimated Costs (attach additional information if available)			If project has impact on 5 Year Plan and future operating budgets, insert estimated amounts.		
Capital:	Cost	Comments	Fiscal Year:	Capital	Operations & Maintenance
<i>Planning and Design</i>			<i>FY28</i>		
<i>Labor and Materials</i>	\$30,500		<i>FY29</i>		
<i>Administration</i>			<i>FY30</i>		
<i>Land Acquisition</i>			<i>FY31</i>		
<i>Equipment</i>			<i>FY32</i>		
<i>Other</i>					
<i>Contingency</i>					
Total Capital	30,500				

Project Justification and Objective: The Town Clerk vault is used to store vital records. All birth, death and marriage certificates are bounded each year and these books are permanent records. In the next year or 2 the current shelving will not be able to store vitals records.

For Capital Project Requests:

Will this project be phased over more than one fiscal year? If yes, enter it on the 5 Year Plan
Can this project be phased over more than one fiscal year?

Yes No
Yes No

For Capital Equipment Requests:

Check if equipment requested is replacement and enter the year, make & model, VIN and present condition of existing equipment

--


What is the expected lifespan of this new/replacement equipment: This would be permanent structure in the vault.

Attach backup information, estimates, or justification to support this request.

TOWN OF PLYMOUTH - CLERK'S VAULT

BRIAN ACKLEY

SEPTEMBER 10, 2025



CORPORATE OVERVIEW

STORAGE SOLUTIONIST

Donnegan Systems was established in 1976 and is a storage solutions provider offering space planning and innovative storage solutions. We handle various industrial, distribution, manufacturing, office, public safety, agriculture, higher education, healthcare, and commercial projects in the New England and Eastern New York markets.

Donnegan Systems is a leader in providing value-added storage solutions to our customers by creating a successful partnership with them throughout the entirety of the project. We pledge to establish lasting relationships with our customers by exceeding their expectations and gaining their trust through exceptional performance by every member of the Donnegan Systems team.

OUR MISSION

Dedication to providing quality products, technical and management services to our customers. We will strive to implement a long-term relationship with our clients based on safety, quality, timely service, and anticipating their needs. To help fulfill this mission, we will treat all employees fairly and involve them in the quality improvement process to insure responsiveness and cost-effective work execution.



TESTIMONIAL

We are very pleased with the start-to-finish process that Donnegan had provided. The system operates exactly as promised and I am very pleased how everything went.

I want to give high praise to ALL the individuals who were here on site getting the system up and running. They were extremely courteous and showed up on time when they were expected. Communication was flawless with the crew when it came to giving status updates. In today's given workforce pool, Donnegan definitely has some great employees!

— *Production Manager*

The end result is a system that fulfills all of my requisites and perfectly fits all of our delicate inventory. To say I am thrilled with the end product is an understatement - I am over the moon with how great this experience has been.

Thank you all so much for your help and for providing such superior products and service!

— *Archivist*



TOWN OF PLYMOUTH - CLERK'S VAULT

KELLY McELREATH

26 COURT STREET
PLYMOUTH, MA 02360

Thank you very much for this opportunity and your business!

Date: September 10, 2025
Proposal: DONN-000141

Presented By: Brian Ackley
Office: 800-222-6311 ext. 302
Cell: 4016518848
Fax: 508-393-3974
Website: www.donnegan.com

It is understood that the recommendations herein are intended for consideration only by your organization and that the detailed operating advantages are obtainable through the integrated utilization of Donnegan Systems, Inc.'s products and services. Under no circumstances should this information be supplied to anyone not authorized by Donnegan Systems, Inc.

**Donnegan Systems, Inc.
170 Bartlett Street
Northborough, MA 01532**

** This proposal is valid for 14 days*



SUMMARY

Objective

- Provide a space efficient storage system that can accommodate the growing vital records books as well as voting equipment within the current vault.

Problem

- The existing stationary shelving units do not have the capacity to accommodate all of the items that need to be stored in the vault.

Solution

- Provide and install one Spacesaver high density mobile shelving system with (1) mechanical assist carriage, (16) sections of 4Post shelving, and (2) retractable reference shelves for ease of filing per floor plan.

Value

- Donnegan Systems has specialized in space saving storage solutions and record management services for the government market since 1972. Each storage system is custom designed from standard components based on the items being stored and the available space. All Spacesaver products are available off the Massachusetts State Contract.



CONTENTS

Summary	5
1. Equipment Summary	7
2. Investment Profile	8
3. Customer Acceptance	9
4. Standard Terms and Conditions	11
5. Conditions of Contract	13
6. Appendix	15



1

EQUIPMENT SUMMARY



2

INVESTMENT PROFILE

Section / Items	Price
Freight <ul style="list-style-type: none">SHIPPER PREPAYS FREIGHT – ADDS TO CUSTOMER INVOICEDue to volatility in freight charges, the shipping cost provided on this quote is an ESTIMATE only. Freight costs and the number of truckloads may change. The actual freight cost will be charged at the time of shipment OR on the final invoice.	\$0.00
Shelving System	\$18,565.00
Factory Trained Installation <ul style="list-style-type: none">Pricing includes material and labor to apply 1/8" tile to system sub floor.	\$7,780.00
Total Price <small>*State Sales Tax, if applicable, is not included*</small>	\$26,345.00

Contract: OFF52

Vendor Code: VC6000163876



3

CUSTOMER ACCEPTANCE

FINISH SELECTION & ORDER ENTRY PROCESS

Finish Selection:

End Panels: _____ (if applicable, see appendix)
Shelving: _____ (if applicable, see appendix)
Lockers: _____ (if applicable, see appendix)
Floor Covering: _____ (if applicable, see appendix)

Order Entry Checklist

Sign Off On Drawing: _____
Sign Off On Proposal: _____
Submittal Of Purchase Order: _____
Submittal Of One-Half Deposit: _____



Acceptance

Donnegan Systems, Inc. President Donnegan Systems

Donnegan Systems, Inc. Brian Ackley

Town of Plymouth - Clerk's Vault Kelly McElreath

Notes:

1. Please circle or fill in the above selections at the time of order placement.
2. Pricing is based on standard finish selections. All custom paint finishes (indicated by bold print or in the metallic family) have an up-charge.
3. It is the customer's responsibility to see that the above checklist items have been addressed before the submittal of the purchase order.

Purchase Orders:

Purchase orders should be made out to the following:

Donnegan Systems, Inc.
170 Bartlett Street
Northborough, MA 01532
Fax #: 508-393-3974

Please include finish selections, ship to address, contact name and phone number on your purchase order

Installation and Support:

All installation work is performed by insured and factory-trained system installers, ensuring highquality workmanship and accountability. Donnegan Systems, Inc. will coordinate installation with your schedule. All labor is based on straight time labor during normal working hours (7 a.m. to 3:30 p.m.). If overtime is required, additional costs will be incurred.

Terms and Conditions

Enclosed are the standard terms and conditions of Donnegan Systems, Inc. Please note that a non-refundable down payment of one-half of the contract amount is due within ten calendar days of contract award.

Leasing Options:

Leasing options are now available. Leasing payment plans eliminate the need to fund the total purchase price, maintain your company's capital, and free up valuable bank credit lines. Please let us know if you want more information about this payment option.



4

STANDARD TERMS AND CONDITIONS

The following are the standard terms and conditions of sale for Donnegan Systems, Inc., and will necessarily be made part of any contract resulting from this proposal.

FIELD VERIFICATION:

In the event that Donnegan Systems cannot take field dimensions before placing the order with the manufacturer, the customer will incur additional costs if the as-built drawings differ from the original design drawings.

DELIVERY (Dock, Elevator and Dumpster):

Donnegan Systems, Inc. will notify your designated contact person twenty-four (24) hours prior to delivery. Dock space and/or elevator availability will be arranged by you and made available at no cost to Donnegan Systems, Inc. A dumpster for removal of all shipping and packing materials will be provided at no charge to Donnegan Systems, Inc. the dumpster must be conveniently located and easily accessible at all times during the installation of the equipment.

STORAGE:

If, for any reason, you are not ready to receive the materials and storage is required, storage and handling fees will be added to your invoice.

SPACE REQUIREMENTS:

The space shall be ready for installation and free and clear of all obstructions. If it is not and there is a resulting delay, then the additional person-hours will be billed. The space shall be adequately lit. If additional lighting is required to perform the work safely, the additional cost will be invoiced. It is your responsibility to be certain the space is suitable for the installation of this equipment, i.e., adequate fire protection, clearances, and floor load capacity.

FIRE CODE:

It is the customer's responsibility to verify that the shelving system height is verified on-site prior to placing the purchase order to ensure that proper clearance is maintained.

**FREIGHT:**

Due to volatility in freight charges, the shipping cost provided on this quote is an ESTIMATE only. Freight costs and the number of truckloads may change. The actual freight cost will be charged at the time of shipment OR on the final invoice. This estimate assumes the product ships in an enclosed van. The freight estimate does NOT include flatbed truck, special equipment, special skidding, or packaging unless the customer specifies at the time of the quote request. Additional charges such as detention fees, re-consignment, refusal/re-delivery, and other unforeseen carrier charges will be added to final freight billing. Shipping and delivery dates are approximate and are not a guarantee of shipment or delivery on any particular date. Time shall not be of the essence of the contract. Seller shall not be liable for delays in or failures of delivery due to strikes or labor troubles, supplier's delays, accidents, fire, flood, acts of God, action by a governmental authority, changes requested by Buyer, or other causes beyond its reasonable control. Suppose the shipment is delayed at the request of the Buyer. In that case, the Buyer shall make payment as though shipment had been made as specified and for any expenses incurred by Seller due to Buyer's request in delaying shipment; and the material shall be stored at the Buyer's risk and subject to reasonable storage charges.

INSTALLATION:

Installation is in addition to the price of the materials. Labor is planned as straight time unless otherwise noted. Overtime occurring not at Donnegan Systems, Inc.'s discretion will be added to your invoice.

TAXES:

All applicable sales taxes, as required by law, will be billed.

PAYMENT:

This system has been specially designed and will be specially manufactured for your unique requirements. A non-refundable down payment of 50% of the contract amount is due with order, 25% upon shipment from the manufacturer, and the balance 30 days after acceptance. One and one-half (1 1/2) percent interest per month will be charged on any unpaid balance after thirty (30) days. A hold-back of reasonable value is allowed if the installation is not totally complete upon final invoicing without incurring interest charges.

WARRANTY:

The system is warranted against defects in materials in accordance with the given manufacturer's warranty.

INSURANCE CERTIFICATES, PERMITS AND FEES

We reserve the right to pass on any additional costs to obtain insurance certificates, building permits, or miscellaneous fees that have not been previously identified and/or specified in our proposal but are required to complete the project.

CHANGE ORDERS AND OR CANCELLATION:

If, for any reason, you cancel the order, any cancellation, restocking, and handling charges will be invoiced. Change orders requested after receiving your purchase order may also incur additional charges.



5

CONDITIONS OF CONTRACT

1. It is agreed by the purchaser that this contract, when accepted by the seller, is not subject to cancellation or to any verbal agreement or condition not stipulated in writing on it, and that
2. Title to the goods described on the fact hereof shall not pass until the purchase price is paid in full. The purchaser hereby grants a security interest in said goods to secure payment and performance to the seller. It is mutually agreed that the billing of such goods is for convenience only; and does not carry the title with it, and that
3. In case of default of payment, or in case of removal of said goods or any part thereof without the consent of the seller, or in the event the purchaser shall mortgage or part with the possession of the said property, voluntarily or involuntarily, without the consent of the seller, the latter shall have the right to resume immediate possession of same wherever it may be found, and remove it with or without process of law, and may declare this agreement terminated and may retain all money paid hereunder as liquidated damages and rental for said goods. In the event a claim is placed in an attorney's hands for collection or in the event of litigation, a reasonable attorney's fee and cost shall be added to it, and that
4. In the event that the sale or use of the merchandise herein is subject to any Federal, State, Municipal, or other tax, now or hereafter enacted, the amount of any such tax shall be added to the purchase or rental price.
5. The seller shall not be liable for any delay in shipment or for failure to deliver the goods covered hereunder because of fire, strikes, war, or other emergencies, whether national or state, or due to controls, laws, or regulations issued by any Nation or State, or any political subdivision thereof, or other causes beyond its control. IN NO EVENT SHALL THE SELLER BE LIABLE FOR INDIRECT OR CONSEQUENTIAL DAMAGES SUCH AS BUT NOT LIMITED TO LOSS OF ANTICIPATED PROFITS OR OTHER ECONOMIC LOSS IN CONNECTION WITH OR ARISING OUT OF THE EXISTENCE, FURNISHING, FAILURE TO FURNISH, FUNCTIONING, OR CUSTOMER'S USE OF THE GOODS.
6. All claims for shortage must be made within five (5) days from receipt of goods.



7. Any Equipment sold hereunder is warranted to be in satisfactory operating condition when delivered. Should any part prove defective in material or workmanship during the warranty period, replacement of same will be made without charge. Buyer shall permit full and free access to perform these services when equipment is not portable; otherwise, Buyer shall return equipment for service at its expense. This warranty does not include replacing parts due to misuse, neglect, damage, burned-out motors, or fuses.

THE FOREGOING WARRANTY AND LIMITATIONS ARE EXCLUSIVE REMEDIES AND ARE IN LIEU OF ALL OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

8. To the extent any other written agreement between the parties specifically covering the sale of equipment goods is inconsistent, and such other written agreement shall take precedence over these standard conditions.
9. This contract is subject to our credit department approval. This quotation is made for immediate acceptance and is subject to change without notice. If based on specially printed forms, it presupposes your acceptance of overruns or underruns not exceeding 10% of the quantity ordered.
10. Deliveries are subject to delays from fires, strikes, and other causes beyond our control. We reserve the right to correct clerical errors.
11. This contract shall be construed in accordance with the Laws of the Commonwealth of Massachusetts.
12. Payment terms are 50% with the order, 25% upon shipment from the manufacturer, and the balance 30 days after acceptance.
13. Under any resulting contract, Donnegan Systems, Inc. will retain a security interest and retain all rights as a secured creditor under the Uniform Commercial Code until all checks have been cleared and payment in full has been received. In the event of default, the customer shall pay all collection expenses, including attorney fees

Accepted:

By: _____
Authorized Signature

Date: _____


Title: _____



6

APPENDIX

Plymouth MA, Town of - Clerk's Vault - Mobile



Floor Plan


<p>DONNEGAN SYSTEMS, INC. The Document and Storage Management Professionals®</p>	Project Name: Plymouth Town Clerk		<p>Project #: _____</p> <p>Drawn by: VS</p> <p>Date Printed: 09/03/2025</p>	
	Salesperson: ACKLEY, BRIAN	Scale 1/4" = 1'		
<p>APPROVAL This drawing Approved By: _____</p> <p>Dated _____</p>				

STATIONARY - CASE

42"W x 20"D

H71 3/4"

71 3/4" x 42" x 26"

**U 17**


CLEAR OPENING

MOBILE - CASETYPE

42/48"W x 12"D

H71"

64 1/4" x 48" x 12"

**U 14**


CLEAR OPENING

MOBILE - CASE

42/48"W x 18"D

H71"

64 1/4" x 48" x 18"

**U 7**


CLEAR OPENING

STATIONARY - CASE

36"W x 15"D

H71 3/4"

71 3/4" x 36" x 15"

**U 12**

CLEAR OPENING

Project Name: Plymouth Town Clerk

Salesperson:

ACKLEY, BRIAN

Scale

1/4" = 1'

Project #:

VS

Drawn by:

VS

Date Printed:

09/03/2025

Dated

Dated

APPROVAL

This drawing Approved By:

Town of Plymouth - Vault Capacities

		Current	Proposed
Marriages	9"Dx6.75"H	192LFI	240LFI
Oversized	9Dx11.5H	128LFI	355LFI
Births	9"Dx6.75"H	96LFI	120LFI
Oversized	9"Dx11.5"H	256LFI	424LFI
Deaths	9"Dx9.5"H	182LFI	200LFI
Oversized	9Dx11.5H	122LFI	361LFI
Annual Reports	9"Hx9"D	128LFI	276LFI
Old Books	18.5"Hx14.75"D	96LFI	126LFI
Old Books	16"Hx11"D	68LFI	90LFI
Voting Machines	17)Lx14)"Hx8"D		(45) Required
Voting Totes	25"Dx12.5"Wx6"H		(24) Required
Supplies			516LFI
Miscellaneous			444LFI

MECHANICAL ASSIST

H I G H - D E N S I T Y M O B I L E S T O R A G E



DESIGN FEATURES

MOBILE CARRIAGE SYSTEMS

By mounting shelving units and storage cabinets on wheeled carriages that travel on rails, Spacesaver High-Density Mobile Storage Systems eliminate the need for multiple fixed aisles, freeing floor space for other more productive uses.

Standard Carriage Length Spacesaver Mechanical Assist carriages are available in standard lengths up to 45 feet (13.7m). Greater carriage lengths are possible, depending on system load factors.

Load Carrying Capacity Each carriage has a minimum load carrying capacity of 1,000 lb. (1,500 kg) per linear foot (meter). Your local Area Contractor can provide weight analyses and offer structural strategies to accommodate heavier system floor loads.

Flexible Rail Layout By adjusting rail size, spacing and orientation, floor loads can be optimally distributed at practical bearing points.

Welded-Steel Uniframe Carriage Spacesaver's welded-steel carriages ensure that all drive train components retain their alignment, eliminating binding, racking and misalignment of carriage and shelving. Their rigid, uniframe design has no exposed fasteners to loosen or break.

Wheels And Rails Carriage wheels and rails are fabricated and precision-machined for maximum strength and system life.

Optional One-Piece Structural Rail System Available one-piece rail systems have no butt joints or welds. Their tongue-and-groove design restricts lateral movement and provides greater structural rigidity.

Fully-Grouted Rails All rails are fully supported and grouted to evenly distribute system weight. They are not installed using shims, which can cause carriage rails to flex and the system to malfunction.

Synchronized Drive System A synchronized drive transmits power to both sides of the carriage, not just one, providing positive tracking – even with unbalanced loads. Not only are system stability and performance enhanced, wear is reduced. Line shaft drive is also available.

Flexible Guidance Systems To reduce friction and facilitate smoother tracking, Spacesaver carriages are available with a variety of guidance systems. Your local Area Contractor will help you select the system best suited for your application.

Matched Drive Ratios Spacesaver Mechanical Assist carriages can be equipped with a number of different drive ratios. By appropriately matching the system drive ratio to the load, operation becomes smooth and effortless. Very little force or exertion is needed to open an aisle.

Chain Tensioner To assure the smoothest possible operation, an integrated chain tensioner can be easily adjusted to fine-tune the carriage drive. This can be accomplished in seconds as a minor service adjustment, without disassembly of the system.

Recessed Carriage/Welded Shelving Uprights Spacesaver carriages are designed for maximum stability. Their welded steel uprights and recessed mounting of shelving and cabinets enhance the structural integrity of the system. Storage housings become an integral part of the carriage, ensuring that they won't shift position or lose their alignment.

Anti-Tip Protection Built-in anti-tip devices are engineered to comply with all seismic requirements, providing an extra measure of system stability and safety – even in areas prone to earthquakes.





MOBILE CARRIAGE SYSTEMS (CONTINUED)

Low Profile Rail Design The low-profile design of Spacesaver rail systems is engineered to mount flush with the finished floor. To ensure a proper match with the rest of their environment, system decks and ramps can be covered with virtually any flooring material.

ADA Compliant To accommodate the personal limitations of individual users, Spacesaver Mechanical Assist Systems can be readily configured to comply with all ADA accessibility requirements.

SYSTEM CONTROLS

Soft-Touch Ergonomic Handles Comfort and ease of operation are enhanced by our ergonomically designed, soft-touch rotating handles. A variety of optional handle colors are available to match any decor.

Safety Locks To enhance user safety, unwanted movement can be prevented by a standard safety lock control that has a bright visual indicator showing lock status. For additional safety, optional automatic locks are available which help prevent the system from being closed on an occupied aisle.

Carriage Safety Sweep/Brake To ensure maximum protection for users and materials being stored, Spacesaver Mechanical Assist systems can be equipped with an optional carriage safety sweep/brake.

Controlled Access Unauthorized access to any or all aisles can be prevented with optional hub locks which allow individual carriages to be key-locked in closed-aisle position as desired.

Upgradable To Electric Operation Spacesaver Mechanical Assist Systems can be designed for easy upgrading to electrically-controlled operation. In this way, special programmable features can also be added as your needs change.

SHELVING AND CABINET OPTIONS

Wide Choice Of Housings Almost any type of storage housing can be mounted on Spacesaver mobile carriages, including your own existing shelving and cabinets.

Unlimited Shelving Options/Storage Accessories Beyond basic cabinetry, Spacesaver offers you a large assortment of shelving options and storage accessories designed to accommodate virtually anything you wish to store.

Ability To Reconfigure/Expand System As your storage needs change, Spacesaver shelving and cabinets can typically be reconfigured or expanded to accommodate them.

Heavy-Duty Shelving Construction For added strength, Spacesaver shelving and cabinets are fabricated using heavy-gauge, cold-rolled steel and extensively reinforced for increased rigidity, improving their ability to support greater shelf loads.

Wide Array Of Design Options A wide range of colors, finishes, and end-panel materials provides you with design options limited only by your imagination.

Durable Paint Finishes Spacesaver's powder-coat paint finishes are extremely durable, exceeding the stringent scuff, scratch and chip requirements of the American Library Association.

MULTIPLE APPLICATIONS

STORE VIRTUALLY ANYTHING, AND DO IT IN LESS FLOOR SPACE

In many applications, Spacesaver High-Density Mobile Storage Systems are three times more space-efficient than conventional filing and shelving at half the cost.

Regardless of their size, weight or shape, virtually any type and variety of materials can be stored using a Spacesaver High-Density Mobile Storage System. Not only that, they can be stored in less floor space, reducing your building lease and construction costs.



Spacesaver is the recognized leader in high-density mobile storage, with more installations than all other manufacturers combined. We have designed systems to fit almost every situation.

Spacesaver High-Density Mobile Storage Systems have been installed in offices, hospitals, banks, libraries, schools, museums, archives, factories, warehouses, laboratories, government agencies and military bases, as well as many other uniquely demanding environments.

Drawing on this vast experience, we provide each customer with a storage solution that is custom-configured to meet their specific needs. Having designed and installed more than 250,000 successful mobile systems for customers with a wide range of individual requirements, chances are we have already solved a storage problem similar to yours.

ASK US FOR A PROFESSIONAL ASSESSMENT OF YOUR STORAGE NEEDS

Spacesaver's team of experienced Area Contractors are proven problem solvers who can make an invaluable contribution to your planning process. For a qualified professional assessment of your storage needs, don't hesitate to give us a call at 1-800-492-3434. There is no cost or obligation.



THE BOTTOM-LINE QUESTION

WHY SPACESAVER?

As our ISO 9001 certification would suggest, Spacesaver is dedicated to the highest standards of product quality. Equally important is our commitment to customer service, both before the sale and after.

Through our extensive network of local Area Contractors, Spacesaver provides a level of experience and competency that others simply do not. From architectural constraints and building codes to system design and floor-loading, we have the expertise to handle every issue and customer concern.

A storage solution that meets your unique criteria. Single-source turn-key project management. Certified system installation. Ongoing maintenance and support. Spacesaver sets a standard of professionalism, performance and responsiveness that is unmatched. We live up to our customer commitments and have the references to prove it.

You can rely on The Spacesaver Group.



Spacesaver Corporation
1450 Janesville Avenue
Fort Atkinson, WI 53538-2798
800.492.3434
www.spacesaver.com

4-POST & CASE-TYPE

SHELVING SYSTEMS



MAXIMUM FLEXIBILITY

Spacesaver's 4-Post and Case-Type Shelving Systems aren't just shelving. They're entire systems that are customized to boost efficiency, improve security and accountability, and save space.

DURABLE

These shelving systems are engineered for stability, strength and rugged functionality. For added structural rigidity, shelves are fabricated using cold-rolled steel and used with welded-steel uprights, enabling the systems to support significant loads.

ECONOMICAL

Don't waste money on cheap shelving that breaks, deforms, or requires special tools to modify. Invest in a quality system that can change right along with your needs.

CUSTOMIZABLE

Choose from optional doors, drawers, dividers, and other accessories to enhance security and ensure that everything has its place.

ATTRACTIVE

Complement any interior design with next-level colors and finishes. Our shelving systems are available in your choice of 32 powder-coat paint colors, and custom colors are available by request. Add special finish materials like wood, laminate, or glass for virtually limitless design options.

RECONFIGURABLE

Easily assembled, disassembled and reassembled, Spacesaver Shelving Systems are designed for convenient reconfiguration, relocation or expansion, adapting to your changing needs.

SAFE

Optional anti-tip devices provide extra stability and safety, even in areas prone to earthquakes.





ADD TO MOBILE

Save even more space
by mounting your system
on high-density mobile
carriages and rails.

4-POST SHELVING SYSTEM

DESIGN FEATURES

Shelves Standard 22-gauge (.75 mm) or heavy-duty 18-gauge (1.2 mm) patented universal or plain shelves. For added safety, there are no exposed metal edges. Shelves supported with 11-gauge (3.1 mm) or 14-gauge (1.9 mm) shelf supports.



Keyholes/Interlocking Rivets Keyholes at 1-1/2" (38 mm) centers on uprights provide positive lock with shelf support rivets for added strength. No special tools or fasteners are required for assembly.



Rounded-Post Vertical Uprights
Wrap-around design has no exposed metal edges, providing a clean, smooth appearance. Available in standard "open" style with welded steel spreaders or "closed" style for enhanced strength and appearance.



No Exposed Holes Assembled system has no exposed holes or fasteners. All shelves and backs are flush with outside of upright posts.



Unit-Welded "L" & "T" Uprights
18-gauge (1.2 mm) steel uprights offered as a 1" (25 mm) wide "L"-shaped end post or a 2" (51 mm) wide "T"-shaped common post.



End Angle "L"



Intermediate "T"



Front Bases Optional front bases provide a clean, finished look.



Aesthetic Flexibility Optional end-panels are available in laminates, wood veneers and metal, creating a designer appearance.



CASE-TYPE SHELVING SYSTEM

DESIGN FEATURES

Double-Wall Construction Unit-welded, double-wall uprights extend into the shelf area, preventing stored materials from slipping behind the upright post.



Rounded-Post Vertical Uprights Wrap-around design eliminates exposed metal edges, protecting users and stored media.



Keyholes/Interlocking Rivets Shelf support rivets lock into upright keyholes on 1-1/2" (38 mm) centers for added strength and easy height adjustment. Simple, self-locking design for easy assembly.



Shelves Patented universal and plain 22-gauge (.75 mm) steel. Smooth edges to protect users and stored media.



Unit-Welded "L" & "T" Uprights 18-gauge (1.2 mm) steel uprights offered as a 1" (25 mm) wide "L"-shaped end post or a 2" (51 mm) wide "T"-shaped common post.



End Angle "L"



Intermediate "T"



Front Bases Optional front bases provide an attractive, finished look.



Aesthetic Flexibility Optional end-panels are available in laminates, wood veneers and metal finishes, creating a designer appearance.




4-POST & CASE-TYPE SHELVING SYSTEMS



Washington State University | Pullman, WA
Mechanical-Assist Compact Mobile Storage System
Dividers and Bin Fronts on 4-Post Shelving for Player Specific Cubbies



California Academy of Sciences | San Francisco, CA
4-Post Shelving with Bin Fronts
Half-Height Hinge Doors



ACCESSORIES



Double-Face Through Shelf with Centerstop

Helps separate and contain media being stored.

Bin Divider with Acrylic Bin Front

Compartmentalizes the storage of three-dimensional objects and other media.



Divider Rods

Designed for convenient, compartmentalized storage.

Universal Shelf

Unique, patented design allows for attachment of file dividers, bin dividers and divider rods.



Museum Collection of High Fashion Clothes
4-Post Shelving with Hanger Rail
Nantucket Drawers and Trays

[MORE ACCESSORIES ▶](#)

**Pull-Out Reference Shelf**

For convenience in referencing shelved materials. 50 lb. (23 kg) load capacity.

**Roll-Out Interior Drawer**

Can be configured for top-tab hanging folders or open-shelf filing of top or side-tab folders.

**Receding Door**

Provides for security of materials on open shelving. Can also be used with Roll-Out Interior Drawer.

**Closed File Drawer**


Combines security with space efficiency. Can accommodate letter or legal sized files, hanging folders and more. Quickly accessible.

**Storage Drawer**

Accommodates a wide variety of stored media, while providing full accessibility and keyed security. Adjustable bottom dividers available.

**Hanger Rail**

Spans the width of the shelving and has three notches to allow for flexibility in positioning rail(s) depending on the size of items being stored.

**Aisle Identification Options**

Optional range finders and card holders make locating and reshelfing of materials fast and easy.

**Label Holder**

Optional adhesive label holders can span the shelf up to 47 3/4" long or be cut to enable flexible lengths.

**Frame-Mounted Doors**

Keep stored items secure and dust-free with doors that easily mount to the shelving frame.

**EZ Rail® Element**

Attach bins, hangers, and other accessories to keep small items organized and accessible.

**Weapons Rack II**

Convert shelving into a weapons rack with interchangeable accessories.

**Nantucket Drawers**

High-quality, soft-close drawers are easy to access and organize. Only available on closed type 4-Post Shelving.

**Nantucket Trays**

Trays are fully removable with safety stops to prevent unexpected tray extension. Only available on closed type 4-Post Shelving.

**CUSTOMIZE
YOUR SPACE
FOR
EVERYTHING
YOU NEED
TO STORE.**

CONNECT WITH THE EXPERTS

When you're ready to build a storage system that saves space and improves efficiency, contact us for planning assistance and answers to all your questions. We can even connect you to your local Spacesaver consultant, who can assess your space and prepare recommendations.

There's no cost and no obligation, so contact us today!

Spacesaver.com | 800.492.3434



Spacesaver Corporation
1450 Janesville Avenue
Fort Atkinson, WI 53538-2798
800.492.3434
www.spacesaver.com

LOW PRESSURE LAMINATE

COLOR OPTIONS



TIER ONE



W100

White



SF204

Opal (Almond)




SF208

Folkstone



SF213

Fog Gray



BLK100

Black



AF232

Natural Linen




WF275

Hardrock Maple





WF270

Cabinet Maple



TIER TWO





Queenston Oak*
WF344

Timberline

Licorice Groovz*
WF392


Timberline

Zambukka*
WF226

Timberline

Linear Ash
WF368

Medina



*Minimum order quantities apply

TIER THREE

WF432
Alabaster

Taction Oak

WF433
Argento

Taction Oak



Taction Oak

WF440
Ginger


Taction Oak


WF435
Palomino

Taction Oak

WF434
Gibraltar

Taction Oak





The swatch materials in this brochure are provided as a color guideline. There may be variation in color, texture, finish and gloss between these samples and the actual product.

THE RIGHT COLORS TO REFLECT YOUR BRAND

At Spacesaver, we know that color and texture can impact your team's engagement and productivity, as well as your customers' perception of your business. That's why we work with architects, designers, and our clients to design storage solutions that are just as aesthetically pleasing as they are efficient.

As you begin designing your space, contact your local Spacesaver consultant to request a free space assessment and see our laminate color samples in person. We'll help you choose colors that are a perfect fit for your space and your brand.

800.492.3434 | spacesaver.com



Spacesaver Corporation
1450 Janesville Avenue
Fort Atkinson, WI 53538-2798
800.492.3434
www.spacesaver.com

STANDARD COLORS

SMOOTH & TEXTURED POWDER COAT PAINT FINISHES

This is a supplemental color chart of the standard color offerings in both smooth and textured finishes available across all product lines. For a complete offering of all colors please contact your Spacesaver Sales Representative to refer you to our Product Chart with standard, custom and metallic color offerings.



[†]Not Available in Textured on Mobile Product Line.

A COMMITMENT TO QUALITY POWDER COAT PAINT FINISHES

Available in both smooth and textured finishes. Not all colors and finishes available across all product lines see notes below colors swatches and recommended finishes below. All components go through a multistage surface preparation prior to being coated; this process enhances topcoat bonding. The topcoat is a furniture-quality, epoxy-polyester hybrid Powder Coat Finish that meets or exceeds specifications set forth by the American Library Association.

Our electrostatically-applied, thermoset Powder Coat Paint System provides a durable hard finish with superior performance qualities.

- Excellent abrasion, impact, corrosion, stain, yellowing and chemical resistance.
- Exceptional adhesion with uniform film thickness and elimination of runs and sags associated with wet systems.
- A higher edge coating film thickness which virtually eliminates any sharp metal edges.
- Optional antimicrobial powder coat finish is available on all normally powder coated products. Antimicrobial powder coat contains a time-released germicide that is 99.9994% effective in controlling the growth of bacteria, mold, and mildew on the surface.

A COMMITMENT TO THE ENVIRONMENT

Our system is environmentally safe without any volatile or fugitive (stray) emissions in the finished product. Additionally, during the manufacturing process, we produce no volatile emissions or hazardous waste.

A COMMITMENT TO OUR CUSTOMERS

With the goal of bringing you the best local sales and service in the industry, our distribution network is composed of independently owned and operated distributors in major cities throughout North America. The Spacesaver Group's local sales consultants, factory-certified technicians, and expert support staff all work together to provide an excellent customer experience during the design process and long after the sale.

The engineers, project managers, and other professionals at our Wisconsin headquarters collaborate with our distribution partners every day to bring you new product innovations, efficient manufacturing processes, and superior customer support.

We live up to our commitments and have the references to prove it. You can rely on The Spacesaver Group

Slight variations occur in texture, color, grain configurations and finish acceptance of materials used. Therefore, finished pieces may vary in tone or character from images shown on this page. Please order a sample from your Spacesaver sales representative for a more accurate representation of the finished piece.

STATEMENT OF WARRANTY

Spacesaver has an emphasis on customer satisfaction and continuous improvement. The statement of warranty is our continued commitment that Spacesaver is dedicated to serving our customers.

LIFETIME LIMITED WARRANTY

Subject to the conditions stated below, Spacesaver Corporation ("Spacesaver") warrants to the original purchaser exclusively that the shelving and mobile carriages ("structural frames") manufactured by it will be free from defects in materials and workmanship for the lifetime of the structural frames. For the purposes of this warranty, structural frames shall be deemed to exclude all moving parts, controls and guides that have immediate contact with any moving parts.

10-YEAR LIMITED WARRANTY

Spacesaver also warrants that all carriage drive motors*, shall be free from defects in materials and workmanship for ten (10) years from the date of the customer's written acceptance of installation. During the 10-year warranty period, all parts are included at no cost for 10 years. Labor is included at no cost during the first year of the 10-year warranty period. After the first year, all labor will be charged at the current rate.

5-YEAR LIMITED WARRANTY

Spacesaver also warrants that all equipment, other than structural frames and carriage drive motors*, shall be free from defects in materials and workmanship for five (5) years from the date of the customer's written acceptance of installation. During the 5-year warranty period, all parts are included at no cost for 5 years. Labor is included at no cost during the first year of the 5-year warranty period. After the first year all labor will be charged at the current rate.

*Eclipse™ Powered Systems and Wheelhouse™ High-Density Mobile Storage Systems only. Refer to Warranty for Mobile Rack Systems.

If any warranted equipment shall be proved to Spacesaver's satisfaction to be defective, such equipment shall be repaired or replaced at the option of Spacesaver. All warranty service for any equipment manufactured by Spacesaver must be performed by an authorized Spacesaver factory representative. This warranty shall be void if any portion of the purchase price shall be due but unpaid in accordance with the terms pursuant to which the equipment was sold. This warranty shall not apply to equipment repaired by any party other than an authorized Spacesaver factory representative or to defects or damage caused by (a) acts of God or other circumstances beyond Spacesaver's control, (b) improper installation (unless installation was by authorized factory installer) (c) improper electrical supply or environmental conditions, (d) improper operation, maintenance or storage, or (e) other than normal use or service. **EXCEPT FOR THE EXPRESS WARRANTIES SET FORTH ABOVE, SPACESAVER MAKES NO WARRANTIES, IMPLIED OR OTHERWISE, AND SPACESAVER SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.**

LIMITATION OF LIABILITY

Repair or replacement of any defective equipment, or refund of the purchase price paid by the customer in the event Spacesaver determines such equipment cannot be repaired or replaced, shall be the customer's exclusive remedy for breach of the warranty for product defects, however caused, and in no case shall Spacesaver be liable for incidental, consequential, special or other damages, or loss of profits or revenues whether as a result of breach of contract or warranty. Spacesaver's negligence, or otherwise. Spacesaver shall have no liability for any advice or assistance rendered by any party outside the scope of Spacesaver's written specifications for the manufacture, operation or maintenance of the warranted equipment. Original installation must be performed by Spacesaver trained and certified installers.

WARRANTY / SUMMARY

The warranty applies only to Spacesaver products acquired directly from Spacesaver Corporation or from Authorized Spacesaver Area Contractors, Distributors and Dealers.

The warranty does not apply to any product which has been subject to misuse, negligence, or accident; has been damaged in shipment, storage, or installation; has been misapplied, has been modified or repaired by unauthorized persons or has been repaired with non-standard Spacesaver replacement parts. This warranty specifically excludes claims for indirect, incidental, or consequential damages arising in any way from a product defect. This warranty is exclusive, and exists in lieu of all other warranties, either expressed or implied.